

Certificate of Analysis

Jul 22, 2020 | Majik Medicine 312 Independence Drive,

Mandeville, LA, 70471

032320.27

060820.R16

060820 B15

Kaycha Labs


CBDmd Salve 250 N/A Matrix: Derivative



Sample:DA00612013-001 Harvest/Lot ID: 2195L10 Seed to Sale #Yes Batch Date :N/A Batch#: 2195L10 Sample Size Received: 56 gram Retail Product Size: 56 Ordered : 06/10/20 Sampled : 06/10/20 Completed: 07/22/20 Expires: 07/22/21 Sampling Method: SOP Client Method

PASSED





Analysis Method -SOP.T.40.020, SOP.T.30.050 Reviewed On - 06/15/20 12:57:38 Analytical Batch -DA013137POT Instrument Used : DA-LC-003 Batch Date : 06/12/20 12:47:53 Reagent Dilution Consums, ID

280678841 40 918C4-918I 914C4-9144k 929C6-929H

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L)

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LQQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # 97164



Signature



Signed On